PAIN

Pain 72 (1997) 417–419

Author Index to Volume 72 (1997)

Aessopos, A., see Potagas, C., **72**, 201
Ajmar, F., see Mandich, P., **72**, 286
Aldrich, S., see Eccleston, C., **72**, 209
Alstergren, P., S. Kopp, Pain and synovial fluid concentration of serotonin in arthritic temporomandibular joints **72**, 137
Asmundson, G.J.G., J.L. Kuperos, G. Ron Norton, Do patients with chronic pain selectively attend to pain-related information?: preliminary evidence for the mediating role of fear **72**, 27
Avdelidis, D., see Potagas, C., **72**, 201

Barrett, K.M., see Miaskowski, C., **72**, 217
Bellone, E., see Mandich, P., **72**, 286
BenDebba, M., W.S. Torgerson, D.M. Long, Personality traits, pain duration and severity, functional impairment, and psychological distress in patients with persistent low back pain **72**, 115
Berić, A., Post-spinal cord injury pain states, **72**, 295
Beydoun, A., T.J. Morrow, K.L. Casey, Pain-related laser-evoked potentials in awake monkeys: identification of components, behavioral correlates and drug effects, **72**, 319
Bianchi, M., see Sacerdote, P., **72**, 325
Birbaumer, N., see Montoya, P., **72**, 87
Bisby, M.A., see Ramer, M.S., **72**, 71
Blenk, K.-H., see Michaelis, M., **72**, 347
Bley, K.R., see Omana-Zapata, I., **72**, 41
Bohl, S., see Coda, B.A., **72**, 333
Bolanowski, S.J., see Greenspan, J.D., **72**, 13
Breitbart, W., B. Rosenfeld, S. Passik, M. Kaim, J. Funesti-Esch, K. Stein, A comparison of pain report and adequacy of analgesic therapy in ambulatory AIDS patients with and without a history of substance abuse **72**, 235
Breivik, H., seeEide, P.K., **72**, 289
Brooke, R.I., see Jones, D.A., **72**, 171
Bruera, E., see Lawlor, P., **72**, 79
Burt, R.A.P., Primum non nocere – a paradoxical ally in defense of placebos in analgesic trials? **72**, 291
Bushnell, M.C., see Kupers, R.C., **72**, 269

Calvert, S.K., see Jarvis, S., **72**, 153
Carrougher, G.J., see Patterson, D.R., **72**, 367
Casey, K.L., see Beydoun, A., **72**, 319
Caudill, M.A., see Kerns, R.D., **72**, 227
Caudle, R.M., Comments on Andersen et al., *PAIN*, 67 (1996) 369 **72**, 283
Céleste Johnston, C., R.L. Stremler, B.J. Stevens, L.J. Horton, Effectiveness of oral sucrose and simulated rocking on pain response in preterm neonates **72**, 193
Champion, G.D., see Goodenough, B., **72**, 383
Chapman, C.R., see Coda, B.A., **72**, 333
Checkosky, C.M., see Greenspan, J.D., **72**, 13
Chen, C.-C., see Kupers, R.C., **72**, 269
Chirnside, J., see Jarvis, S., **72**, 153
Christensen, J.H., see Nikolajsen, L., **72**, 393
Ciccone, D.S., Reply to M.I. Weintraub **72**, 285
Clarke, D.E., see Omana-Zapata, I., **72**, 41
Coda, B.A., B. O'Sullivan, G. Donaldson, S. Bohl, C.R. Chapman, D.D. Shen, Comparative efficacy of patient-controlled administration of morphine, hydromorphone, or sufentanil for the treatment of oral mucositis pain following bone marrow transplantation, **72**, 333
Cohen, S., see Rubin, G., **72**, 183
Collins, S.L., R.A. Moore, H.J. McQuay, The visual analogue pain intensity scale: what is moderate pain in millimetres? **72**, 95
Craig, K.D., see Lilley, C.M., **72**, 161
Crombez, G., see Eccleston, C., **72**, 209
Crow, C.S., Children's Pain Perspectives Inventory (CPPI): developmental assessment **72**, 33

Dancausse, H.A., see Eaton, M.J., **72**, 59
Davar, G., Reply to Mandich et al. **72**, 287
Deans, L.A., see Jarvis, S., **72**, 153
Devor, M., see Rubin, G., **72**, 183
Dibble, S.L., see Miaskowski, C., **72**, 217
Difede, J., A.B. Jaffe, G. Musngi, S. Perry, R. Yurt, Determinants of pain expression in hospitalized burn patients **72**, 245
Donaldson, G., see Coda, B.A., **72**, 333

Eaton, M.J., D.I. Santiago, H.A. Dancausse, S.R. Whittemore, Lumbar transplants of immortalized serotonergic neurons alleviate chronic neuropathic pain **72**, 59
Eccleston, C., G. Crombez, S. Aldrich, C. Stannard, Attention and somatic awareness in chronic pain **72**, 209
Eckhardt, K., see Fromm, M.F., **72**, 261
Eckstein Grunau, R., see Lilley, C.M., **72**, 161
Eichelbaum, M., see Fromm, M.F., **72**, 261
Eide, P.K., A. Stubhaug, H. Breivik, I. Øye Reply to S.T. Meller: Ketamine: relief from chronic pain through actions at the NMDA receptor **72**, 289
Elliott, K.J., see Shimoyama, M., **72**, 375

Flor, H., see Montoya, P., **72**, 87
French, G.D., see Ramer, M.S., **72**, 71
Fromm, M.F., K. Eckhardt, S. Li, G. Schänzle, U. Hofmann, G. Mikus, M. EichelbaumLoss of analgesic effect of morphine due to coadministration of rifampin **72**, 261
Funesti-Esch, J., see Breitbart, W., **72**, 235

Goodenough, B., L. Kampel, G.D. Champion, L. Laubreaux, M.K. Nicholas, J.B. Ziegler, M. McInerney, An investigation of the placebo effect and age-related factors in the report of needle pain from venipuncture in children, **72**, 383
Goris, R.J.A., see van der Laan, L., **72**, 291
Greenspan, J.D., S.E. Joy, S.L.B. McGillis, C.M. Checkosky, S.J. Bolanowski, A longitudinal study of somesthetic perceptual disorders in an individual with a unilateral thalamic lesion **72**, 13
Grulke, N., see Montoya, P., **72**, 87

Hansen, A.J., see Ingvardsen, B.K., **72**, 407
Hanson, J., see Lawlor, P., **72**, 79
Hari, R., K. Portin, B. Kettenmann, V. Jousmäki, G. Kobal, Right-hemisphere preponderance of responses to painful CO_2 stimulation of the human nasal mucosa **72**, 145
Haythornthwaite, J., see Kerns, R.D., **72**, 227

Hirayama, T., see Yamamoto, T., **72**, 5
Hodge, E., see Khandwala, H., **72**, 299
Hofmann, U., see Fromm, M.F., **72**, 261
Horton, L.J., see Céleste Johnston, C., **72**, 193
Hubscher, C.H., Comments on Berkley, *PAIN* 70 (1997) 103–107 **72**, 283
Hunter, J.C., see Omana-Zapata, I., **72**, 41

Ilkjær, S., see Nikolajsen, L., **72**, 393
Ingvardsen, B.K., H. Laursen, U.B. Olsen, A.J. Hansen, Possible mechanism of c-fos expression in trigeminal nucleus caudalis following cortical spreading depression, **72**, 407
Inturrisi, C.E., see Shimoyama, M., **72**, 375
Izumi, H., see Moriwaki, K., **72**, 277

Jaffe, A.B., see Difede, J., **72**, 245
Jamison, R.N., see Kerns, R.D., **72**, 227
Jänig, W., see Michaelis, M., **72**, 347
Jarvis, S., K.A. McLean, J. Chirnside, L.A. Deans, S.K. Calvert, V. Molony, A.B. Lawrence, Opioid-mediated changes in nociceptive threshold during pregnancy and parturition in the sow **72**, 153
Jensen, T.S., see Nikolajsen, L., **72**, 393
Jia, H., see Zhang, Y.-Q., **72**, 127
Jones, D.A., G.B. Rollman, R.I. Brooke, The cortisol response to psychological stress in temporomandibular dysfunction **72**, 171
Jørum, E., see Warncke, T., **72**, 99
Jousmäki, V., see Hari, R., **72**, 145
Joy, S.E., see Greenspan, J.D., **72**, 13

Kaim, M., see Breitbart, W., **72**, 235
Kampel, L., see Goodenough, B., **72**, 383
Kaneko, K., see Moriwaki, K., **72**, 277
Kaspi, T., see Rubin, G., **72**, 183
Katayama, Y., see Yamamoto, T., **72**, 5
Kerns, R.D., R. Rosenberg, R.N. Jamison, M.A. Caudill, J. Haythornthwaite, Readiness to adopt a self-management approach to chronic pain: the Pain Stages of Change Questionnaire (PSOCQ) **72**, 227
Kettenmann, B., see Hari, R., **72**, 145
Khabbaz, M.A., see Omana-Zapata, I., **72**, 41
Khandwala, H., E. Hodge, C.W. Loomis, Comparable dose-dependent inhibition of AP-7 sensitive strychnine-induced allodynia and paw pinch-induced nociception by mexiletine in the rat, **72**, 299
Kirsch, I., see Montgomery, G.H., **72**, 107
Kobal, G., see Hari, R., **72**, 145
Kopp, S., see Alstergren, P., **72**, 137
Kramis, R.C., see Roberts, W.J., **72**, 288
Krøner, K., see Nikolajsen, L., **72**, 393
Kuperos, J.L., see Asmundson, G.J.G., **72**, 27
Kupers, R.C., C.-C. Chen, M.C. Bushnell, A model of transient hyperalgesia in the behaving monkey induced by topical application of capsaicin **72**, 269

LaMotte, R.H., see Zhang, J.-M., **72**, 51
Larbig, W., see Montoya, P., **72**, 87
Lashbrook, J., see Laughlin, T.M., **72**, 253
Laubreaux, L., see Goodenough, B., **72**, 383
Laughlin, T.M., T.W. Vanderah, J. Lashbrook, M.L. Nichols, M. Ossipov, F. Porreca, G.L. Wilcox, Spinally administered dynorphin A produces long-lasting allodynia: involvement of NMDA but not opioid receptors **72**, 253
Laursen, H., see Ingvardsen, B.K., **72**, 407
Lawlor, P., K. Turner, J. Hanson, E. Bruera, Dose ratio between morphine and hydromorphone in patients with cancer pain: a retrospective study **72**, 79
Lawrence, A.B., see Jarvis, S., **72**, 153
Li, S., see Fromm, M.F., **72**, 261
Lilley, C.M., K.D. Craig, R. Eckstein Grunau, The expression of pain in infants and toddlers: developmental changes in facial action **72**, 161
Lomazov, P., see Rubin, G., **72**, 183
Long, D.M., see BenDebba, M., **72**, 115
Loomis, C.W., see Khandwala, H., **72**, 299
Lu, J., see Mao, J., **72**, 355

Mancardi, G., see Mandich, P., **72**, 286
Mandich, P., E. Bellone, M. Montera, F. Ajmar, A. Schenone, L. Nobbio, G. Mancardi, A. Pizzuti, A. Ratti, A.J. Windebank, Comments on Davar et al., *PAIN*, 67 (1996) 135–139 **72**, 286
Manfredi, B., see Sacerdote, P., **72**, 325
Mao, J., D.D. Price, J. Zhu, J. Lu, D.J. Mayer, The inhibition of nitric oxide-activated poly(ADP-ribose) synthetase attenuates transsynaptic alteration of spinal cord dorsal horn neurons and neuropathic pain in the rat, **72**, 355
Mayer, D.J., see Mao, J., **72**, 355
McGillis, S.L.B., see Greenspan, J.D., **72**, 13
McInerney, M., see Goodenough, B., **72**, 383
McLean, K.A., see Jarvis, S., **72**, 153
McQuay, H.J., see Collins, S.L., **72**, 95
McQuay, H.J., see Picard, P.R., **72**, 309
Meyerson, B.A., Pharmacological tests in pain analysis and in prediction of treatment outcome **72**, 1
Miaskowski, C., E.F. Zimmer, K.M. Barrett, S.L. Dibble, M. Wallhagen, Differences in patients' and family caregivers' perceptions of the pain experience influence patient and caregiver outcomes **72**, 217
Michaelis, M., C. Vogel, K.-H. Blenk, W. Jänig, Algesics excite axotomised afferent nerve fibres within the first hours following nerve transection in rats, **72**, 347
Mikus, G., see Fromm, M.F., **72**, 261
Missir, O., see Potagas, C., **72**, 201
Molony, V., see Jarvis, S., **72**, 153
Montera, M., see Mandich, P., **72**, 286
Montgomery, G.H., I. Kirsch, Classical conditioning and the placebo effect **72**, 107
Montoya, P., W. Larbig, N. Grulke, H. Flor, E. Taub, N. Birbaumer, The relationship of phantom limb pain to other phantom limb phenomena in upper extremity amputees **72**, 87
Moore, R.A, see Picard, P.R., **72**, 309
Moore, R.A., see Collins, S.L., **72**, 95
Moriwaki, K., O. Yuge, H. Tanaka, H. Sasaki, H. Izumi, K. Kaneko, Neuropathic pain and prolonged regional inflammation as two distinct symptomatological components in complex regional pain syndrome with patchy osteoporosis -- a pilot study **72**, 277
Morrow, T.J., see Beydoun, A., **72**, 319
Musngi, G., see Difede, J., **72**, 245

Nicholas, M.K., see Goodenough, B., **72**, 383
Nichols, M.L., see Laughlin, T.M., **72**, 253
Nikolajsen, L., S. Ilkjær, K. Krøner, J.H. Christensen, T.S. Jensen, The influence of preamputation pain on postamputation stump and phantom pain, **72**, 393
Nobbio, L., see Mandich, P., **72**, 286

O'Sullivan, B., see Coda, B.A., **72**, 333
Olsen, U.B., see Ingvardsen, B.K., **72**, 407
Omana-Zapata, I., M.A. Khabbaz, J.C. Hunter, D.E. Clarke, K.R. Bley, Tetrodotoxin inhibits neuropathic ectopic activity in neuromas, dorsal root ganglia and dorsal horn neurons **72**, 41
Ossipov, M., see Laughlin, T.M., **72**, 253
Øye, I., seeEide, P.K., **72**, 289

Panerai, A.E., see Sacerdote, P., **72**, 325
Passik, S., see Breitbart, W., **72**, 235
Patterson, D.R., J.T. Ptacek, G.J. Carrougher, S.R. Sharar, Lorazepam as an adjunct to opioid analgesics in the treatment of burn pain, **72**, 367

Perry, S., see Difede, J., **72**, 245
Picard, P.R., M.R. Tramèr, H.J. McQuay, R.A MooreAnalgesic efficacy of peripheral opioids (all except intra-articular): a qualitative systematic review of randomised controlled trials, **72**, 309
Pizzuti, A., see Mandich, P., **72**, 286
Porreca, F., see Laughlin, T.M., **72**, 253
Portin, K., see Hari, R., **72**, 145
Potagas, C., D. Avdelidis, E. Singounas, O. Missir, A. Aessopos, Episodic pain associated with a tumor in the parietal operculum: a case report and literature review **72**, 201
Price, D.D., see Mao, J., **72**, 355
Ptacek, J.T., see Patterson, D.R., **72**, 367

Ramer, M.S., G.D. French, M.A. Bisby, Wallerian degeneration is required for both neuropathic pain and sympathetic sprouting into the DRG **72**, 71
Rappaport, Z.H., see Rubin, G., **72**, 183
Ratti, A., see Mandich, P., **72**, 286
Ravikovitch, M., see Rubin, G., **72**, 183
Roberts, W.J., R.C. Kramis, Comments on Cervero and Laird, *PAIN*, 68 (1996) 13–23 **72**, 288
Rollman, G.B., see Jones, D.A., **72**, 171
Ron Norton, G., see Asmundson, G.J.G., **72**, 27
Rosenberg, R., see Kerns, R.D., **72**, 227
Rosenfeld, B., see Breitbart, W., **72**, 235
Rubin, G., T. Kaspi, Z.H. Rappaport, S. Cohen, M. Ravikovitch, P. Lomazov, M. Devor, Adrenosensitivity of injured afferent neurons does not require the presence of postganglionic sympathetic terminals **72**, 183

Sacerdote, P., M. Bianchi, B. Manfredi, A.E. Panerai, Effects of tramadol on immune responses and nociceptive thresholds in mice, **72**, 325
Santiago, D.I., see Eaton, M.J., **72**, 59
Sasaki, H., see Moriwaki, K., **72**, 277
Schänzle, G., see Fromm, M.F., **72**, 261
Schenone, A., see Mandich, P., **72**, 286
Sharar, S.R., see Patterson, D.R., **72**, 367
Shen, D.D., see Coda, B.A., **72**, 333
Shimoyama, M., N. Shimoyama, C.E. Inturrisi, K.J. Elliott, Gabapentin enhances the antinociceptive effects of spinal morphine in the rat tail-flick test, **72**, 375
Shimoyama, N., see Shimoyama, M., **72**, 375
Singounas, E., see Potagas, C., **72**, 201
Song, X.-J., see Zhang, J.-M., **72**, 51
Stannard, C., see Eccleston, C., **72**, 209
Stein, K., see Breitbart, W., **72**, 235
Stevens, B.J., see Céleste Johnston, C., **72**, 193
Stremler, R.L., see Céleste Johnston, C., **72**, 193
Stubhaug, A., see Warncke, T., **72**, 99
Stubhaug, A., seeEide, P.K., **72**, 289

Tanaka, H., see Moriwaki, K., **72**, 277
Tang, J.-S., see Zhang, Y.-Q., **72**, 127
Taub, E., see Montoya, P., **72**, 87
Torgerson, W.S., see BenDebba, M., **72**, 115
Tramèr, M.R., see Picard, P.R., **72**, 309
Tsubokawa, T., see Yamamoto, T., **72**, 5
Turner, K., see Lawlor, P., **72**, 79

van der Laan, L., P.H.J.M. Veldman, R.J.A. Goris, Response to Stanton-Hicks et al. **72**, 291
Vanderah, T.W., see Laughlin, T.M., **72**, 253
Veldman, P.H.J.M., see van der Laan, L., **72**, 291
Vogel, C., see Michaelis, M., **72**, 347

Wallhagen, M., see Miaskowski, C., **72**, 217
Warncke, T., A. Stubhaug, E. Jørum, Ketamine, an NMDA receptor antagonist, suppresses spatial and temporal properties of burn-induced secondary hyperalgesia in man: a double-blind, cross-over comparison with morphine and placebo **72**, 99
Weintraub, M.I., Comments on Ciccone et al., *PAIN*, 68 (1996) 329–341 **72**, 284
Whittemore, S.R., see Eaton, M.J., **72**, 59
Wilcox, G.L., see Laughlin, T.M., **72**, 253
Windebank, A.J., see Mandich, P., **72**, 286

Yamamoto, T., Y. Katayama, T. Hirayama, T. Tsubokawa, Pharmacological classification of central post-stroke pain: comparison with the results of chronic motor cortex stimulation therapy **72**, 5
Yuan, B., see Zhang, Y.-Q., **72**, 127
Yuge, O., see Moriwaki, K., **72**, 277
Yurt, R., see Difede, J., **72**, 245

Zhang, J.-M., X.-J. Song, R.H. LaMotte, An in vitro study of ectopic discharge generation and adrenergic sensitivity in the intact, nerve-injured rat dorsal root ganglion **72**, 51
Zhang, Y.-Q., J.-S. Tang, B. Yuan, H. Jia, Inhibitory effects of electrically evoked activation of ventrolateral orbital cortex on the tail-flick reflex are mediated by periaqueductal gray in rats **72**, 127
Zhu, J., see Mao, J., **72**, 355
Ziegler, J.B., see Goodenough, B., **72**, 383
Zimmer, E.F., see Miaskowski, C., **72**, 217